







# Shock Length Chart

## 2.125" Shocks

Image (Shown Extended)	Part Number	Description	Collapsed Length*^	Extended Length*
	213-COE06-000	2.125" Coil Over, Emulsion, 6" Stroke	14.600	20.600
	213-COE08-000	2.125" Coil Over, Emulsion, 8" Stroke	17.600	25.600
	213-COE10-000	2.125" Coil Over, Emulsion, 10" Stroke	19.600	29.600
	213-COE12-000	2.125" Coil Over, Emulsion, 12" Stroke	21.600	33.600
	213-COE14-000	2.125" Coil Over, Emulsion, 14" Stroke	23.785	37.785
	213-COE16-000	2.125" Coil Over, Emulsion, 16" Stroke	26.535	42.535
	213-COE18-000	2.125" Coil Over, Emulsion, 18" Stroke	29.285	47.285
	213-COR06-000	2.125" Coil Over, Hose Reservoir, 6" Stroke	14.600	20.600
	213-COR08-000	2.125" Coil Over, Hose Reservoir, 8" Stroke	17.600	25.600
	213-COR10-000	2.125" Coil Over, Hose Reservoir, 10" Stroke	19.600	29.600
	213-COR12-000	2.125" Coil Over, Hose Reservoir, 12" Stroke	21.600	33.600
	213-COR14-000	2.125" Coil Over, Hose Reservoir, 14" Stroke	23.785	37.785
	213-COR16-000	2.125" Coil Over, Hose Reservoir, 16" Stroke	26.535	42.535
	213-COR18-000	2.125" Coil Over, Hose Reservoir, 18" Stroke	29.285	47.285
	213-SBE06-000	2.125" Smooth Body, Emulsion, 6" Stroke	14.600	20.600
	213-SBE08-000	2.125" Smooth Body, Emulsion, 8" Stroke	17.600	25.600
	213-SBE10-000	2.125" Smooth Body, Emulsion, 10" Stroke	19.600	29.600
	213-SBE12-000	2.125" Smooth Body, Emulsion, 12" Stroke	21.600	33.600
	213-SBE14-000	2.125" Smooth Body, Emulsion, 14" Stroke	23.785	37.785
	213-SBE16-000	2.125" Smooth Body, Emulsion, 16" Stroke	26.535	42.535
	213-SBE18-000	2.125" Smooth Body, Emulsion, 18" Stroke	29.285	47.285
	213-SBR06-000	2.125" Smooth Body, Hose Reservoir, 6" Stroke	14.600	20.600
	213-SBR08-000	2.125" Smooth Body, Hose Reservoir, 8" Stroke	17.600	25.600
	213-SBR10-000	2.125" Smooth Body, Hose Reservoir, 10" Stroke	19.600	29.600
	213-SBR12-000	2.125" Smooth Body, Hose Reservoir, 12" Stroke	21.600	33.600
	213-SBR14-000	2.125" Smooth Body, Hose Reservoir, 14" Stroke	23.785	37.785
	213-SBR16-000	2.125" Smooth Body, Hose Reservoir, 16" Stroke	26.535	42.535
	213-SBR18-000	2.125" Smooth Body, Hose Reservoir, 18" Stroke	29.285	47.285

\*Lengths are measured from mounting holes, center to center, in inches.

^ Rubber Bump Stop not included (0.500" thick)



# Shock Length Chart

## 2.500" Shocks

Image (Shown Extended)	Part Number	Description	Collapsed Length*^	Extended Length*
	250-COE06-000	2.500" Coil Over, Emulsion, 6" Stroke	14.600	20.600
	250-COE08-000	2.500" Coil Over, Emulsion, 8" Stroke	17.600	25.600
	250-COE10-000	2.500" Coil Over, Emulsion, 10" Stroke	19.600	29.600
	250-COE12-000	2.500" Coil Over, Emulsion, 12" Stroke	21.600	33.600
	250-COE14-000	2.500" Coil Over, Emulsion, 14" Stroke	23.785	37.785
	250-COE16-000	2.500" Coil Over, Emulsion, 16" Stroke	26.535	42.535
	250-COE18-000	2.500" Coil Over, Emulsion, 18" Stroke	29.285	47.285
	250-COE20-000	2.500" Coil Over, Emulsion, 20" Stroke	31.285	51.285
	250-36006-COO	2.500" Coil Over, Swivel, 6" Stroke	14.600	20.600
	250-36008-COO	2.500" Coil Over, Swivel, 8" Stroke	17.600	25.600
	250-36010-COO	2.500" Coil Over, Swivel, 10" Stroke	19.600	29.600
	250-36012-COO	2.500" Coil Over, Swivel, 12" Stroke	21.600	33.600
	250-36014-COO	2.500" Coil Over, Swivel, 14" Stroke	23.785	37.785
	250-36016-COO	2.500" Coil Over, Swivel, 16" Stroke	26.535	42.535
	250-36018-COO	2.500" Coil Over, Swivel, 18" Stroke	29.285	47.285
	250-36020-COO	2.500" Coil Over, Swivel, 20" Stroke	31.285	51.285
	250-COR06-000	2.500" Coil Over, Hose Reservoir, 6" Stroke	14.600	20.600
	250-COR08-000	2.500" Coil Over, Hose Reservoir, 8" Stroke	17.600	25.600
	250-COR10-000	2.500" Coil Over, Hose Reservoir, 10" Stroke	19.600	29.600
	250-COR12-000	2.500" Coil Over, Hose Reservoir, 12" Stroke	21.600	33.600
	250-COR14-000	2.500" Coil Over, Hose Reservoir, 14" Stroke	23.785	37.785
	250-COR16-000	2.500" Coil Over, Hose Reservoir, 16" Stroke	26.535	42.535
	250-COR18-000	2.500" Coil Over, Hose Reservoir, 18" Stroke	29.285	47.285
	250-COR20-000	2.500" Coil Over, Hose Reservoir, 20" Stroke	31.285	51.285
	250-SBE06-000	2.500" Smooth Body, Emulsion, 6" Stroke	14.600	20.600
	250-SBE08-000	2.500" Smooth Body, Emulsion, 8" Stroke	17.600	25.600
	250-SBE10-000	2.500" Smooth Body, Emulsion, 10" Stroke	19.600	29.600
	250-SBE12-000	2.500" Smooth Body, Emulsion, 12" Stroke	21.600	33.600
	250-SBE14-000	2.500" Smooth Body, Emulsion, 14" Stroke	23.785	37.785
	250-SBE16-000	2.500" Smooth Body, Emulsion, 16" Stroke	26.535	42.535
	250-SBE18-000	2.500" Smooth Body, Emulsion, 18" Stroke	29.285	47.285
	250-SBE20-000	2.500" Smooth Body, Emulsion, 20" Stroke	31.285	51.285
	250-36006-SBO	2.500" Smooth Body, Swivel, 6" Stroke	14.600	20.600
	250-36008-SBO	2.500" Smooth Body, Swivel, 8" Stroke	17.600	25.600
	250-36010-SBO	2.500" Smooth Body, Swivel, 10" Stroke	19.600	29.600
	250-36012-SBO	2.500" Smooth Body, Swivel, 12" Stroke	21.600	33.600
	250-36014-SBO	2.500" Smooth Body, Swivel, 14" Stroke	23.785	37.785
	250-36016-SBO	2.500" Smooth Body, Swivel, 16" Stroke	26.535	42.535
	250-36018-SBO	2.500" Smooth Body, Swivel, 18" Stroke	29.285	47.285
	250-36020-SBO	2.500" Smooth Body, Swivel, 20" Stroke	31.285	51.285
	250-SBR06-000	2.500" Smooth Body, Hose Reservoir, 6" Stroke	14.600	20.600
	250-SBR08-000	2.500" Smooth Body, Hose Reservoir, 8" Stroke	17.600	25.600
	250-SBR10-000	2.500" Smooth Body, Hose Reservoir, 10" Stroke	19.600	29.600
	250-SBR12-000	2.500" Smooth Body, Hose Reservoir, 12" Stroke	21.600	33.600
	250-SBR14-000	2.500" Smooth Body, Hose Reservoir, 14" Stroke	23.785	37.785
	250-SBR16-000	2.500" Smooth Body, Hose Reservoir, 16" Stroke	26.535	42.535
	250-SBR18-000	2.500" Smooth Body, Hose Reservoir, 18" Stroke	29.285	47.285
	250-SBR20-000	2.500" Smooth Body, Hose Reservoir, 20" Stroke	31.285	51.285



\*Lengths are measured from mounting holes, center to center, in inches.

^ Rubber Bump Stop not included (0.500" thick)



# Shock Length Chart


## 3.000" Shocks

Image (Shown Extended)	Part Number	Description	Collapsed Length*^	Extended Length*
	300-SBR08-000	3.000" Smooth Body, Hose Reservoir, 8" Stroke	18.390	26.390
	300-SBR10-000	3.000" Smooth Body, Hose Reservoir, 10" Stroke	20.390	30.390
	300-SBR12-000	3.000" Smooth Body, Hose Reservoir, 12" Stroke	22.390	34.390
	300-SBR14-000	3.000" Smooth Body, Hose Reservoir, 14" Stroke	24.575	38.575
	300-SBR16-000	3.000" Smooth Body, Hose Reservoir, 16" Stroke	27.330	43.330
	300-SBR18-000	3.000" Smooth Body, Hose Reservoir, 18" Stroke	30.090	48.090
	300-SBR20-000	3.000" Smooth Body, Hose Reservoir, 20" Stroke	32.090	52.090
	300-COR08-000	3.000" Coil Over, Hose Reservoir, 8" Stroke	18.390	26.390
	300-COR10-000	3.000" Coil Over, Hose Reservoir, 10" Stroke	20.390	30.390
	300-COR12-000	3.000" Coil Over, Hose Reservoir, 12" Stroke	22.390	34.390
	300-COR14-000	3.000" Coil Over, Hose Reservoir, 14" Stroke	24.575	38.575
	300-COR16-000	3.000" Coil Over, Hose Reservoir, 16" Stroke	27.330	43.330
	300-COR18-000	3.000" Coil Over, Hose Reservoir, 18" Stroke	30.090	48.090
	300-COR20-000	3.000" Coil Over, Hose Reservoir, 20" Stroke	32.090	52.090

\*Lengths are measured from mounting holes, center to center, in inches.

^Rubber Bump Stop not included (0.500" thick)


## 4.000" Shocks

Image (Shown Extended)	Part Number	Description	Collapsed Length*^	Extended Length*
	400-BPx12-000	4.000" Bypass, 12" Stroke	22.335	34.335
	400-BPx14-000	4.000" Bypass, 14" Stroke	24.520	38.520
	400-BPx16-000	4.000" Bypass, 16" Stroke	27.270	43.270
	400-BPx18-000	4.000" Bypass, 18" Stroke	30.020	48.020

\*Lengths are measured from mounting holes, center to center, in inches.

^Rubber Bump Stop not included

## 5.250" Shocks

Image (Shown Extended)	Part Number	Description	Collapsed Length*^	Extended Length*
	525-BPx14-000	5.250" Bypass, 14" Stroke	27.860	41.860
	525-BPx16-000	5.250" Bypass, 16" Stroke	30.610	46.610
	525-BPx18-000	5.250" Bypass, 18" Stroke	33.360	51.360






\*Lengths are measured from mounting holes, center to center, in inches.

^Rubber Bump Stop not included



# Shock Length Chart

## Air Shocks/Bump Stops

Image (Shown Extended)	Part Number	Description	Collapsed Length*	Extended Length*
	213-AS012-000	2.125" Air Shock, Emulsion, 12" Stroke	21.600 <sup>^</sup>	33.600
	213-AS014-000	2.125" Air Shock, Emulsion, 14" Stroke	23.790 <sup>^</sup>	37.790
	213-AS016-000	2.125" Air Shock, Emulsion, 16" Stroke	26.540 <sup>^</sup>	42.540
	213-AS018-000	2.125" Air Shock, Emulsion, 18" Stroke	29.290 <sup>^</sup>	47.290
	213-AC012-000	2.125" Hybrid Air Shock, Emulsion, 12" Stroke	21.600 <sup>φ</sup>	33.600
	213-AC014-000	2.125" Hybrid Air Shock, Emulsion, 14" Stroke	23.790 <sup>φ</sup>	37.790
	213-AC016-000	2.125" Hybrid Air Shock, Emulsion, 16" Stroke	26.540 <sup>φ</sup>	42.540
	213-AC018-000	2.125" Hybrid Air Shock, Emulsion, 18" Stroke	29.290 <sup>φ</sup>	47.290
	250-AS012-000	2.500" Air Shock, Emulsion, 12" Stroke	21.600 <sup>^</sup>	33.600
	250-AS014-000	2.500" Air Shock, Emulsion, 14" Stroke	23.790 <sup>^</sup>	37.790
	250-AS016-000	2.500" Air Shock, Emulsion, 16" Stroke	26.540 <sup>^</sup>	42.540
	250-AS018-000	2.500" Air Shock, Emulsion, 18" Stroke	29.290 <sup>^</sup>	47.290
	250-AC012-000	2.500" Hybrid Air Shock, Emulsion, 12" Stroke	21.600 <sup>φ</sup>	33.600
	250-AC014-000	2.500" Hybrid Air Shock, Emulsion, 14" Stroke	23.790 <sup>φ</sup>	37.790
	250-AC016-000	2.500" Hybrid Air Shock, Emulsion, 16" Stroke	26.540 <sup>φ</sup>	42.540
	250-AC018-000	2.500" Hybrid Air Shock, Emulsion, 18" Stroke	29.290 <sup>φ</sup>	47.290
	213-BS002-000	2.125" Air Bump Stop, 2" Stroke	7.950 <sup>^</sup>	9.950
	213-BS003-000	2.125" Air Bump Stop, 3" Stroke	10.950 <sup>^</sup>	13.950
	213-BS004-000	2.125" Air Bump Stop, 4" Stroke	10.950 <sup>^</sup>	14.950
	250-BS002-000	2.500" Air Bump Stop, 2" Stroke	7.950 <sup>^</sup>	9.950
	250-BS003-000	2.500" Air Bump Stop, 3" Stroke	10.950 <sup>^</sup>	13.950
	250-BS004-000	2.500" Air Bump Stop, 4" Stroke	10.950 <sup>^</sup>	14.950

\*Lengths are measured from mounting holes, center to center, in inches. Bump Stops from top of Can to Bottom of Plastic tip.

<sup>^</sup> Stroke Indicating O'Ring not included (0.139" thick)

<sup>φ</sup> Rubber Bump Stop not included (0.500" thick)